Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Oasis Petroleum North America LLC
Well Name/Number: Dave T 2958 13-25H
Location: NW NE Section 25 T29N R59E

County: Roosevelt, MT; Field (or Wildcat) Wildcat

Air Quality
(possible concerns)
Long drilling time: No, 30-40 days drilling time.
Unusually deep drilling (high horsepower rig): Triple derrick drilling rig to drill a single lateral
horizontal Bakken Formation test, 20,375'MD/10,500'TVD.
Possible H2S gas production: Yes, slight H2S possible from Mississippian Formations.
In/near Class I air quality area: No Class I air quality area nearby.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-
211.
Mitigation:
X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: Plan is to drill a single lateral horizontal Bakken Formation test,
20,375'MD/10,500'TVD. If there are existing pipelines for natural gas in the area then associated gas
must be tied into gathering system or if no gathering system nearby associated gas can be flared under
Board Rule 36.22.1220.
Double Rule 30.22.1220.
Water Quality
(possible concerns)
Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole
will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud
<u>system.</u>
High water table: No high water table anticipated.
Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to
Red Bank Creek, about 1/4 of a mile to the east from this location. A small stock pond exists about 3/8 of
a mile to the east from this location.
Water well contamination: No, closest water wells are about ¼ of a mile to the east, about 3/8 of a mile to
the east and about 3/4 of a mile to the southwest from this location. Depth of these domestic and stock
water wells range from 50' to 180'. This proposed oil well will be drilled with freshwater and freshwater
mud to 2,024' and steel surface casing will be run and cemented to surface to protect groundwater.
Porous/permeable soils: No, sandy silty clay soils.
Class I stream drainage: No, Class I stream drainages.
Mitigation:
X Lined reserve pit
$\frac{\overline{X}}{X}$ Adequate surface casing
Berms/dykes, re-routed drainage
$\frac{\overline{X}}{X}$ Closed mud system
\overline{X} Off-site disposal of solids/liquids (in approved facility)
Other:
Comments: 2.024' plus feet of 13.5" surface casing hole, will be drilled with freshwater 9.5/8"

steel casing will be run to 2,024' and cemented back to surface, to protect freshwater zones in adjacent water wells. Also, covering Fox Hills aquifer. Adequate surface casing and operational BOP equipment

Soils/Vegetation/Land Use

(possible concerns)

Steam crossings: No stream crossings anticipated.

High erosion potential: Yes possible high erosion potential on steep fill slopes, location will require a moderate cut of up to 12.9' and moderate fill of up to 22.0', required.

Loss of soil productivity: _No, location to be restored after drilling, if nonproductive. If productive unused portion of this drillsite will be reclaimed.

Unusually large wellsite: Yes, a large well site 430'X320'.

Damage to improvements: Slight surface use appears to be grassland.

Conflict with existing land use/values: Slight

Mitigation

- __ Avoid improvements (topographic tolerance)
- __ Exception location requested
- _X Stockpile topsoil
- __ Stream Crossing Permit (other agency review)
- _X Reclaim unused part of wellsite if productive
- __ Special construction methods to enhance reclamation
- X Other Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28).

Comments: Access will be over an existing county road, #2051. New access road will be built into this location, about 1447' into this location from the existing farm road. Oil based invert drilling fluids will be recycled. Completion fluids will hauled to a commercial Class II disposal. Cuttings and solids will be buried/solidified on site in the lined cuttings pit. The pit will be allowed to dry and the pit backfilled. No concerns.

Health Hazards/Noise

(possible concerns)

Proximity to public facilities/residences: <u>Nearest residences are about 3/8 of a mile to the east and about 3/4 of a mile to the north from this location.</u> The Town of Bainville, MT is about 8.6 miles to the southwest from this location.

Possibility of H2S: Yes, slight chance from Mississippian Formations.

Size of rig/length of drilling time: Triple drilling rig 30 to 40 days drilling time.

Mitigation:

X	Proper	BOP	eaui	oment

- __ Topographic sound barriers
- __ H2S contingency and/or evacuation plan
- __ Special equipment/procedures requirements

___ Other:_____

Comments: <u>Adequate surface casing cemented to surface with working BOP stack should</u> mitigate any problems. (BOP's 5,000 psig annular, pipe and blind rams) rule 36.22.1014.

Wildlife/recreation

(possible concerns)

Proximity to sensitive wildlife areas (DFWP identified): None identified.

Proximity to recreation sites: None identified.

Creation of new access to wildlife habitat: No

Conflict with game range/refuge management: No

Threatened or endangered Species: Species identified as threatened or endangered are the Pallid

Sturgeon, Interior Least Tern, Whooping Crane and Piping Plover. Candidate species is the Sprague's

Pipit. NH tracker website indicates two (2) species of concern: the Whooping Crane and the Evening

Grosbeak.

Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: Private surface grassland. There may be species of concern that maybe impacted by
this wellsite. We ask the operator to consult with the surface owner as to what he would like done, if a
species of concern is discovered at this location. The Board of Oil & Gas has no jurisdiction over private
surface lands.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites: None identified.
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: Private surface grassland. There may be possible historical/cultural/paleontological
sites that maybe impacted by this wellsite. We ask the operator to consult with the surface owner as to his
desires to preserve these sites or not, if they are found during construction of the wellsite. The Board of
Oil & Gas has no jurisdiction over private surface lands.
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Wildcat well. No concerns
Remarks or Special Concerns for this site
An exploratory single lateral horizontal Bakken Formation test, 20,375'MD/10,500'TVD.
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected, some short term impacts will occur, but can be mitigated.
I conclude that the approval of the subject Notice of Intent to Drill (does/ <u>does not</u>) constitute a major
action of state government significantly affecting the quality of the human environment, and (does/ <u>does</u>
<u>not</u>) require the preparation of an environmental impact statement.
Prepared by (BOGC): /s/Steven Sasaki
(title:) Chief Field Inspector
Date: June 16, 2012
=

Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Roosevelt County water wells
(subject discussed)
June 16, 2012
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Roosevelt County, Montana
(subject discussed)
<u>June 16, 2012</u>
Montana Natural Heritage Program Website
(Name and Agency)
Heritage State Rank= S1, S2, S3, Location T29N R58E
(subject discussed)
June 16, 2012
(date)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: